

Performance Aspects

Lecture BigData Analytics

Julian M. Kunkel

julian.kunkel@googlemail.com

University of Hamburg / German Climate Computing Center (DKRZ)

2018-01-12



Disclaimer: Big Data software is constantly updated, code samples may be outdated.

Outline

1 Overview

2 Hardware

3 Assessing Performance

4 Benchmarks

5 Summary

Goals

- Goal (user perspective): minimal time to solution
 - Solution = **workflow** from data ingestion, programming to analysis results
 - Programmer/User productivity is important
 - Goal (system perspective): cheap total cost of ownership
 - Simple deployment and easy management
 - Cheap hardware
 - Good utilization of (hardware) resources means less hardware
- ⇒ In this lecture, we focus on the processing of a workflow

Processing Steps

- 1 Ingesting data into our big data environment
- 2 **Processing** the workflow with (multiple) Hive/Pig/... queries
 - Is the most relevant factor for the productivity of data scientists
 - Low runtime is crucial for repeated analysis and interactive exploration
 - Multiple steps/different tools can be involved in a complex workflow

We consider only the execution of one job with any tool
- 3 Post-processing of output with (external) tools to produce insight
 - Strategy: big data workflow – data transfer – local analysis
 - Best: return a final product from the big data workflow

Performance Factors Influencing Processing Time

■ Startup phase

- Distribution of necessary files/scripts
- Allocating resources/containers
- Starting the scripts and loading dependencies
- Usually fixed costs (in the order of seconds to spawn MR/TEZ job)

■ **Job execution**: computing the product

- Costs for computation and necessary communication & I/O depend on
 - Job complexity
 - Software architecture of the big data solution
 - Hardware performance and cluster architecture

■ Cleanup phase

- Teardown containers, free resources
- Usually fixed costs (in the order of seconds)

1 Overview

2 Hardware


3 Assessing Performance

4 Benchmarks

5 Summary

BigData Cluster Characteristics


- Usually commodity components
- Cheap (on-board) interconnect, node-local storage
- Communication (bisection) bandwidth between different racks is low



Architecture of a typical BigData cluster

HPC Cluster Characteristics

- High-end components
- Extra fast interconnect, global/shared storage with dedicated servers
- Switches provide high (full) bisection bandwidth



Architecture of a typical HPC cluster.

Hardware Performance

Computation

- CPU performance (frequency · cores · sockets)
 - e.g., 2.5 GHz · 12 cores · 2 sockets = 60 Gcycles/s
 - The number of cycles per operation depend on the instruction stream
- Memory (throughput · channels); e.g., 25.6 GB/s per DDR4 DIMM · 3

Communication via the network

- Throughput, e.g., 125 MiB/s with Gigabit Ethernet
- Latency, e.g., 0.1 ms with Gigabit Ethernet

Input/output devices

- HDD mechanical parts (head, rotation) lead to expensive seek
 - ⇒ Access data consecutively and not randomly
 - ⇒ Performance depends on the I/O granularity
 - e.g., 150 MiB/s with 10 MiB blocks

Hardware-Aware Strategies for Software Solutions

- Java is suboptimal: 1.2x - 2x of cycles needed than in C¹
- Utilize different hardware components concurrently
 - Pipeline computation, I/O and communication
 - At best hide two of them \Rightarrow 3x speedup vs sequential
 - Avoid barriers (waiting for the slowest component)
- Balance and distribute workload among all available servers
 - Linear scalability is vital (and not the programming language)
 - Add 10x servers, achieve 10x performance (or process 10x data)
- Avoid I/O, if possible (keep data in memory)
- Avoid communication, if possible
- Allow monitoring of components to see their utilization

Examples for Pig/Hive

- Foreach, filter are node-local operations
- Sort, group, join need communication

¹This does not matter much compared to the other factors. But vectorization matters.

1 Overview

2 Hardware

3 Assessing Performance

4 Benchmarks

5 Summary

Basic Approach

Question

Is the observed performance acceptable?

Basic approach


Start with a simple model

- 1 Measure time for the execution of your workload
- 2 Quantify the workload with some metrics
 - e.g., amount of tuples or data processed, computational operations needed
 - e.g., you may use the statistics output for each Hadoop job
- 3 Compute w_t , the workload you process per time
- 4 Compare w_t with your expectations of the system

Refine the model as needed, e.g., include details about intermediate steps

Errors Increase Processing Time [11]

- Error probability $E < 1$ increases the processing time
- A rerun of a job may fail again
- Processing time with errors: $P' = (E + E^2 + \dots) \cdot P' = P/(1 - E)$



Processing time & error probability

- With 50% chance of errors, twice the processing time
- With 90% chance, 10x

1 Overview

2 Hardware

3 Assessing Performance

4 Benchmarks

5 Summary

Daytona GraySort

- Sort at least 100 TB data in files into an output file
 - Generates 500 TB of disk I/O and 200 TB network I/O [12]
 - Drawback: Benchmark is not very compute intense
- Data record: 10 byte key, 90 byte data
- Performance Metric: sort rate (TBs/minute)

	Hadoop MR Record	Spark Record	Spark 1 PB
Data Size	102.5 TB	100 TB	1000 TB
Elapsed Time	72 mins	23 mins	234 mins
# Nodes	2100	206	190
# Cores	50400 physical	6592 virtualized	6080 virtualized
Cluster disk throughput	3150 GB/s (est.)	618 GB/s	570 GB/s
Sort Benchmark Daytona Rules	Yes	Yes	No
Network	dedicated data center, 10Gbps	virtualized (EC2) 10Gbps network	virtualized (EC2) 10Gbps network
Sort rate	1.42 TB/min	4.27 TB/min	4.27 TB/min
Sort rate/node	0.67 GB/min	20.7 GB/min	22.5 GB/min

Source: [12]

Assessing Performance

Hadoop

- 102.5 TB in 4,328 seconds [13]
- Hardware: 2100 nodes, dual 2.3Ghz 6cores, 64 GB memory, 12 HDDs
- Sort rate: 23.6 GB/s = 11 MB/s per Node \Rightarrow 1 MB/s per HDD
- Clearly this is suboptimal!

Apache Spark (on disk)

- 100 TB in 1,406 seconds [13]
- Hardware: 207 Amazon EC2, 2.5Ghz 32vCores, 244GB memory, 8 SSDs
- Sort rate: 71 GB/s = 344 MB/s per node
- Performance assessment
 - Network: 200 TB \Rightarrow 687 MiB/s per node
Optimal: 1.15 GB/s per Node, but we cannot hide (all) communication
 - I/O: 500 TB \Rightarrow 1.7 GB/s per node = 212 MB/s per SSD
 - Compute: 17 M records/s per node = 0.5 M/s per core = 4700 cycles/record

Executing the Optimal Algorithm on Given Hardware

An Utopic Algorithm

Assume 200 nodes and random key distribution

- 1 Read input file once: 100 TB
- 2 Pipeline reading and start immediately to scatter data (key): 100 TB
- 3 Receiving node stores data in likely memory region: 500 GB/node
Assume this can be pipelined with the receive
- 4 Output data to local files: 100 TB

Estimating optimal runtime

Per node: 500 GByte of data; I/O: keep 1.7 GB/s per node


- 1 Read: 294s
- 2 Scatter data: 434s \Rightarrow reading can be hidden
- 3 One read/write in memory (2 sockets, 3 channels): 6s
- 4 Write local file region: 294s

Total runtime: $434 + 294 = 728 \Rightarrow 8.2$ T/min

In-Memory Computing

Aggregating 10 M integers with 1 thread

- Spark [14]: 160 MB/s, 500 cycles per operation²
- Python (raw): 0.44s = 727 MB/s, 123 cycles per operation
- Numpy: 0.014s = 22.8 GB/s, 4 cycles per operation (memory BW limit)



Source: [14]

Invoking external programming languages is even more expensive!

²But it can use multiple threads easily.

Comparing Pig & Hive

Benchmark by IBM [16], similar to Apache Benchmark

- Tests several operations, data set increases 10x in size
 - Set 1: 772 KB, 2: 6.4 MB, 3: 63 MB, 4: 628 MB, 5: 6.2 GB, 6: 62 GB
- 5 data/compute nodes, configured to run 8 reduce and 11 map tasks

	Set 1	Set 2	Set 3	Set 4	Set 5	Set 6
Arithmetic	32	36	49	83	423	3900
Filter 10%	32	34	44	66	295	2640
Filter 90%	33	32	37	53	197	1657
Group	49	53	69	105	497	4394
Join	49	50	78	150	1045	10258

Pig time. Source: B. Jakobus (modified), "Table 1: Averaged performance" [16]

	Set 1	Set 2	Set 3	Set 4	Set 5	Set 6
Arithmetic	32	37.	72	300	2633	27821
Filter 10%	32	53.	59	209	1672	18222
Filter 90%	31	32.	36	69	331	3320
Group	48	47.	46	53	141	1233
Join	48	56.	10.	517	4388	-
Distinct	48	53.	72	109	-	-

Hive time. Source: B. Jakobus (modified), "Table 2: Averaged performance" [16]

Summary

- Goal (user-perspective): optimize the time-to-solution
- Runtime of queries/scripts is the main contributor
- Compute in big data clusters is usually overdimensioned
- Understanding a few hw throughputs helps assessing performance
- Linear scalability of the architecture is the crucial performance factor
- Basic performance analysis
 - 1 Estimate the workload
 - 2 Compute the workload throughput per node
 - 3 Compare with hardware capabilities
- Error model predicts runtime if jobs must be restarted
- GreySort with Spark utilizes I/O, communication well
- Computation even with Spark is much slower than Python
- Different big data solutions exhibit different performance behaviors

Bibliography

- 10 Wikipedia
- 11 Book: N. Marz, J. Warren. Big Data – Principles and best practices of scalable real-time data systems.
- 12 <https://databricks.com/blog/2014/11/05/spark-officially-sets-a-new-record-in-large-scale-sorting.html>
- 13 <http://sortbenchmark.org/>
- 14 <https://databricks.com/blog/2015/04/24/recent-performance-improvements-in-apache-spark-sql-python-dataframes-and-more.html>
- 15 <https://github.com/hortonworks/hive-testbench>
- 16 <http://www.ibm.com/developerworks/library/ba-pigvhive/pighivebenchmarking.pdf>